

Units:

Gas in MMCFD
 Condensate/ NGL/ MS/ HSD in BBLD
 LPG in Ka

Daily Gas & Condensate Production and Distribution Report

I. Production

| Company | Gas Fields | No. of Producing Wells | Capacity | Production | | Pro. as a % of T.Cap(Gas) | Pro. as a % of T. Prod(Gas) |
|------------------|----------------------------|------------------------|----------|------------|------------|---------------------------|-----------------------------|
| | | | | Gas | Condensate | | |
| 1. BGFL | Titas | 26 | 542 | 468.0 | 421.0 | 14.4 | 17.4 |
| | Habiganj | 7 | 225 | 214.4 | 19.5 | 6.6 | 1.0 |
| | Bakhrabad | 6 | 43 | 27.5 | 18.0 | 0.8 | 1.0 |
| | Narsingdi | 2 | 30 | 25.5 | 32.9 | 0.8 | 1.0 |
| | Meghna | 1 | 11 | 12.0 | 19.0 | 0.4 | 0.4 |
| | Sub-Total | 42 | 851 | 747.4 | 510.4 | 22.9 | 27.8 |
| 2. SGFL | Syhet | 1 | 6 | 4.4 | 33.9 | 0.1 | 0.2 |
| | Kailashitla #1 (Silicagel) | 1 | 13 | 7.4 | 8.8 | 0.2 | 0.3 |
| | Kailashitla #2 (MSTE) | 3 | 55 | 60.6 | 496.8 | 1.9 | 2.3 |
| | Rashidpur | 5 | 60 | 50.2 | 39.6 | 1.5 | 1.9 |
| | Beanibazar | 2 | 15 | 9.0 | 136.1 | 0.3 | 0.3 |
| | | Sub-Total | 12 | 149 | 131.6 | 717.1 | 4.0 |
| 3. BAPEX | Salda | 1 | 3 | 4.1 | 0.8 | 0.1 | 0.2 |
| | Fenchuganj | 2 | 26 | 10.7 | 6.8 | 0.3 | 0.4 |
| | Shahbazpur | 3 | 50 | 45.2 | 6.2 | 1.4 | 1.7 |
| | Semutung | 2 | 3 | 0.7 | 0.0 | 0.0 | 0.0 |
| | Sundalpur | 1 | 5 | 6.7 | 0.4 | 0.2 | 0.2 |
| | Srikail | 3 | 40 | 34.6 | 104.8 | 1.1 | 1.3 |
| | Begumganj | 2 | 10 | 4.7 | 2.5 | 0.1 | 0.2 |
| | Rupganj | 0 | 8 | 0.0 | 0.0 | 0.0 | 0.0 |
| | | Sub-Total | 14 | 145 | 106.6 | 121.3 | 3.3 |
| | Sub-Total (1+2+3) | 68 | 1145 | 985.6 | 1348.8 | 30.2 | 36.7 |
| 4. IOCs | Jalalabad | 7 | 270 | 228.5 | 1035.9 | 7.0 | 8.5 |
| | CHEVRON | 6 | 42 | 18.4 | 0.0 | 0.6 | 0.7 |
| | Bibiyana | 26 | 1200 | 1094.8 | 7259.7 | 33.6 | 40.8 |
| | TULLOW | 5 | 103 | 96.1 | 285.0 | 2.9 | 3.6 |
| | Sub-Total | 44 | 1615 | 1437.8 | 8580.6 | 44.1 | 53.6 |
| 5. RFGCL (R-LNG) | | | 500 | 260.5 | | 8.0 | 9.7 |
| | | | 0 | 500 | 260.5 | 0.0 | 8.0 |
| | Sub-Total | | 500 | 260.5 | | 8.0 | 9.7 |
| | Grand Total (1+2+3+4+5) | 112 | 3260 | 2684.0 | 9929.5 | 82.3 | 100.0 |

III. RFGCL Production

| Feed Received | | Production | | |
|---------------|-------|------------|-------|-------|
| NGL | Cond. | LPG | MS | HSD |
| 572.4 | 0.0 | 20112 | 633.2 | 196.0 |

N-S & RA pipeline
 Delivered from N-S pipeline

| | |
|--------------|---------------|
| AB1 | 151.0 |
| AB2 | 193.5 |
| BB | 211.5 |
| VS3 | 96.3 |
| AM | 388.4 |
| BD | 447.9 |
| Total | 1488.7 |

Remarks:

II. Distribution

| Company | Power | | Fertilizer | | Others-Supl. | Total | Remarks | |
|--|-----------------------------|--------|------------|------------|--------------|-------|---|--|
| | Demand | Supply | Company | Max.Demand | | | | |
| TGTDCL | Ghorashal (1315 MW) | 148.0 | 63.0 | JFCL | 45.0 | 0.0 | * Aggreko (GSL)-145 MW Rent Shutdown * Siddhirganj (210 MW) Shutdown * HPS (100 MW) Shutdown * Tongi (80 MW) Shutdown * JFCL, UFPL shutdown | |
| | Max (G)-78 MW Rent | 20.0 | 4.8 | UFFL | 45.0 | 6.8 | | |
| | Aggreko (GSL)-145 MW Rent | 38.0 | 0.0 | PUFF | 14.0 | 11.0 | | |
| | Siddhirganj (210 MW) | 30.0 | 0.0 | | | | | |
| | Siddhirganj (2x120 MW) | 52.0 | 36.5 | | | | | |
| | HPS (100 MW) | 16.0 | 0.0 | | | | | |
| | EGCB 412 MW | 68.0 | 53.7 | | | | | |
| | Meghnaghat IPP 450 MW | 75.0 | 63.6 | | | | | |
| | Tongi (80 MW) | 26.0 | 0.0 | | | | | |
| | RPCL (210 MW) | 40.0 | 32.3 | | | | | |
| | Madhabdi (27+10 MW) REB | 9.0 | 6.9 | | | | | |
| | Ashulia (24+10 MW) REB | 10.0 | 5.4 | | | | | |
| | Doreen Tangail 22 MW SIPP | 5.0 | 2.9 | | | | | |
| | Doreen Narsingdi 22 MW SIPP | 5.0 | 2.0 | | | | | |
| | Maona 33 MW SIPP | 8.0 | 5.7 | | | | | |
| | Rupganj 33 MW SIPP | 8.0 | 6.0 | | | | | |
| | EGCB Shiddhirganj 335 MW | 55.0 | 36.9 | | | | | |
| EGCB HPL 360 MW | 55.0 | 55.5 | | | | | | |
| Regent 108 MW | 27.0 | 6.7 | | | | | | |
| | Sub-Total | 695.0 | 381.7 | | 104.0 | 17.8 | 1073.1 | |
| BGDCL | Ashuganj 648 MW* | | | AFCL | 52.0 | 50.1 | 86.0 | * Ashuganj -80 MW Rent Shutdown * APS 450 MW CAPP N shutdown * Mohipal-11 MW SIPP shutdown * AFCL Shutdown |
| | Ashuganj 55 MW rental | 192.0 | 60.3 | | | | | |
| | Ashuganj 53 MW rental | | | | | | | |
| | Ashuganj -80 MW Rent | 20.0 | 0.0 | | | | | |
| | Ashuganj 225MW | 40.0 | 34.6 | | | | | |
| | Ashuganj 200 MW Modula | 40.0 | 7.3 | | | | | |
| | APS 450 MW CAPP S | 62.0 | 46.1 | | | | | |
| | APS 450 MW CAPP N | 62.0 | 0.0 | | | | | |
| | B-bania 70 MW rental | 24.0 | 5.6 | | | | | |
| | Feni-22 MW SIPP | 5.0 | 1.1 | | | | | |
| | Mohipal-11 MW SIPP | 3.0 | 0.0 | | | | | |
| | Jangalia-33 MW SIPP | 8.0 | 0.9 | | | | | |
| | Chandpur 150 MW CAPP | 27.0 | 24.6 | | | | | |
| Cornilla REB 24 MW | 6.0 | 3.9 | | | | | | |
| Midland Power 51 MW | 12.0 | 4.4 | | | | | | |
| | Sub-Total | 501.0 | 188.8 | | 52.0 | 50.1 | 86.0 | |
| KGDCL | Raozan (2x210) MW | 95.0 | 35.4 | CUFL | 52.0 | 39.4 | 2.3 | * Sikalbaha (40) MW shutdown |
| | Sikalbaha (40 MW) | 12.0 | 0.0 | KAFCO | 63.0 | 46.2 | 171.9 | |
| | Sikalbaha (225+150+65) MW | 73.0 | 30.1 | | | | | |
| | Barabkunda 22 MW SIPP | 5.0 | 3.1 | | | | | |
| | Sub-Total | 185.0 | 68.6 | | 115.0 | 85.5 | 174.2 | |
| JGTDCL | Shahjibazar 2x30 MW | 18.0 | 15.7 | SFF | 45.0 | 36.8 | 78.8 | * K.gaan 15 yrs rent 10 MW Shutdown. * Bibiyana-3 400 MW Shutdown. * Khushiyara 163 MW Shutdown * Kumargaon 20 MW Shutdown. |
| | S.Bazar 3 yrs rental 50 MW | 12.0 | 6.9 | | | | | |
| | S.Bazar 15 yrs rent 86 MW | 20.0 | 5.1 | | | | | |
| | S.Bazar 330 MW | 47.0 | 27.2 | | | | | |
| | Fenchuganj CC1 90 MW | 17.0 | 3.7 | | | | | |
| | Fenchuganj CC2 105 MW | 18.0 | 5.5 | | | | | |
| | Kumargaon 20 MW | 2.0 | 0.0 | | | | | |
| | K.gaan 3 yrs rent 50 MW | 12.0 | 4.3 | | | | | |
| | K.gaan 15 yrs rent 10 MW | 3.0 | 0.0 | | | | | |
| | K.gaan 142 MW CAPP | 36.0 | 18.3 | | | | | |
| | Habiganj 11 MW SIPP | 3.0 | 2.1 | | | | | |
| | F.ganj 15 yrs rent 51 MW | 13.0 | 2.4 | | | | | |
| | F.ganj 3 yrs rent 50 MW | 10.0 | 2.9 | | | | | |
| | Shahjahanullah pgcl Rent | 5.0 | 4.2 | | | | | |
| | Bibiyana-2 341 MW | 50 | 52.4 | | | | | |
| | Bibiyana-3 400 MW | 40 | 0.0 | | | | | |
| | Khushiyara 163 MW | 28 | 0.0 | | | | | |
| | Sub-Total | 334.0 | 150.7 | | 45.0 | 36.8 | 78.8 | |
| PGCL | Baghabari (100+71 MW) | 50.0 | 8.1 | | | | 23.5 | * NWPGL Unit -1,2,4 Shutdown |
| | Bogra 15 yrs rent (20 MW) | 5.0 | 3.1 | | | | | |
| | Ullapara 11 MW SIPP | 3.0 | 1.4 | | | | | |
| | Bogra 3 yrs rent (20 MW) | 5.0 | 0.8 | | | | | |
| | NWPGL Unit-1 | 38.0 | 0.0 | | | | | |
| | NWPGL Unit -2 | 38.0 | 0.0 | | | | | |
| | NWPGL Unit -3 | 38.0 | 29.2 | | | | | |
| | Sub-Total | 247.0 | 42.7 | | 0.0 | | 23.5 | |
| SGCL | Bhola 3 yrs rent 34.5 MW | 10.0 | 6.4 | | | | 0.9 | |
| | Bhola 225 MW | 35.0 | 31.4 | | | | | |
| | Bheramara 360MW | 65.0 | 54.0 | | | | | |
| | Aggreko 95MW | 26.0 | 6.8 | | | | | |
| | Sub-Total | 136.0 | 98.6 | | 0.0 | | 0.9 | |
| | Total : | 2098.0 | 931.0 | | 316.0 | 190.2 | 1436.5 | 2557.6 |
| 1783 (Considering diversity factor 0.85) | | | | | | | | |
| Non-grid power | | | | | | | | |
| | TGTDCL | | 71.3 | | | | | |
| | KGDCL | | 5.9 | | | | | |
| | Total Non-Grid Power | | 77.2 | | | | 77.2 | |
| | Grand Total | 2098.0 | 1008.2 | | 316.0 | 190.2 | 1436.5 | 2634.9 |
| % of Total Distribution | | | 38.3 | | | 7.2 | 54.3 | 100 |