

Units:

Gas in MMCFD  
Condensate/ NGL/ MS/ HSD in BBLD  
LPG in Kg

**Daily Gas & Condensate Production and Distribution Report**

**I. Production**

| Company               | Gas Fields                 | No. of Producing Wells | Capacity | Production |            | Pro. as a % of T.Cap(Gas) | Pro. as a % of T. Prod(Gas) |
|-----------------------|----------------------------|------------------------|----------|------------|------------|---------------------------|-----------------------------|
|                       |                            |                        |          | Gas        | Condensate |                           |                             |
| 1. BGFLC              | Tilas                      | 26                     | 542      | 400.5      | 321.0      | 10.7                      | 13.0                        |
|                       | Habiganj                   | 8                      | 225      | 165.1      | 8.2        | 4.4                       | 1.0                         |
|                       | Bakhrabad                  | 7                      | 43       | 30.7       | 35.5       | 0.8                       | 0.9                         |
|                       | Narsingdi                  | 2                      | 30       | 27.3       | 43.0       | 0.7                       | 0.9                         |
|                       | Meghna                     | 1                      | 11       | 7.3        | 16.1       | 0.2                       | 0.2                         |
| Sub-Total             |                            | 44                     | 851      | 630.8      | 423.8      | 16.8                      | 20.4                        |
| 2. SGFL               | Sylhet                     | 1                      | 6        | 3.7        | 20.2       | 0.1                       | 0.1                         |
|                       | Kailashtila #1 (Silicagel) | 1                      | 13       | 4.1        | 22.7       | 0.1                       | 0.1                         |
|                       | Kailashtila #2 (MSTE)      | 3                      | 55       | 24.3       | 315.8      | 0.6                       | 0.8                         |
|                       | Rashidpur                  | 5                      | 60       | 44.5       | 39.5       | 1.2                       | 1.4                         |
|                       | Benaribazar                | 1                      | 15       | 7.6        | 118.1      | 0.2                       | 0.2                         |
| Sub-Total             |                            | 11                     | 149      | 84.1       | 516.4      | 2.2                       | 2.7                         |
| 3. BAPEX              | Salda                      | 2                      | 3        | 2.6        | 0.0        | 0.1                       | 0.1                         |
|                       | Fenchuganj                 | 2                      | 26       | 9.3        | 7.3        | 0.2                       | 0.3                         |
|                       | Shahbazpur                 | 4                      | 50       | 66.2       | 8.6        | 1.8                       | 2.1                         |
|                       | Semutang                   | 2                      | 3        | 0.8        | 0.0        | 0.0                       | 0.0                         |
|                       | Sundalpur                  | 1                      | 5        | 7.5        | 0.3        | 0.2                       | 0.2                         |
|                       | Srikail                    | 3                      | 40       | 40.3       | 169.8      | 1.1                       | 1.3                         |
|                       | Begumganj                  | 1                      | 10       | 8.4        | 3.2        | 0.2                       | 0.3                         |
| Rupganj               | 0                          | 8                      | 0.0      | 0.0        | 0.0        | 0.0                       |                             |
| Sub-Total             |                            | 15                     | 145      | 135.0      | 189.2      | 3.6                       | 4.4                         |
| Sub-Total (1+2+3)     |                            | 70                     | 1145     | 849.9      | 1129.4     | 22.6                      | 27.5                        |
| 4. IOCs               | Jalalabad                  | 7                      | 270      | 184.6      | 941.8      | 4.9                       | 6.0                         |
|                       | CHEVRON                    | 5                      | 42       | 15.7       | 3.1        | 0.4                       | 0.5                         |
|                       | Bibiyana                   | 26                     | 1200     | 1261.6     | 5056.7     | 33.6                      | 40.8                        |
|                       | TULLOW                     | 5                      | 103      | 77.6       | 225.0      | 2.1                       | 2.5                         |
|                       | Sub-Total                  |                        | 43       | 1615       | 1539.4     | 6226.5                    | 40.9                        |
| Sub-Total             |                            | 0                      | 1000     | 701.2      | 0.0        | 18.6                      | 22.7                        |
| Sub-Total (1+2+3+4+5) |                            | 113                    | 3760     | 3090.5     | 7355.9     | 82.2                      | 100.0                       |

**III. RPGCL Production**

| Feed Received |       | Production |     |     |
|---------------|-------|------------|-----|-----|
| NGL           | Cond. | LPG        | MS  | HSD |
| 0.0           | 0.0   | 0          | 0.0 | 0.0 |

N-S & RA pipeline  
Delivered from N-S pipeline

|              |               |
|--------------|---------------|
| AB1          | 0.0           |
| AB2          | 0.0           |
| BB           | 352.5         |
| VS3          | 110.4         |
| AM           | 494.4         |
| BD           | 408.3         |
| <b>Total</b> | <b>1365.6</b> |

Remarks:

\* RPGCL Shutdown.

**II. Distribution**

| Company                             | Power                       |        | Fertilizer |            | Others-Supl. | Total | Remarks |
|-------------------------------------|-----------------------------|--------|------------|------------|--------------|-------|---------|
|                                     | Demand                      | Supply | Company    | Max.Demand |              |       |         |
| TGTDCL                              | Ghorashal (1315 MW)         | 148.0  | 47.7       | JFCL       | 45.0         | 40.5  | 1197.1  |
|                                     | Max (G)-78 MW Rent          | 20.0   | 0.0        | UFFL       | 45.0         | 0.0   |         |
|                                     | Aggreko (GSL)-145 MW Rent   | 38.0   | 0.0        | PUFFL      | 14.0         | 0.0   |         |
|                                     | Siddhirganj (210 MW)        | 30.0   | 0.0        |            |              |       |         |
|                                     | Siddhirganj (2x120 MW)      | 52.0   | 0.0        |            |              |       |         |
|                                     | HPS (100 MW)                | 16.0   | 0.0        |            |              |       |         |
|                                     | HPS(EGCB) 412 MW            | 68.0   | 57.4       |            |              |       |         |
|                                     | Meghnaghat IPP 450 MW       | 75.0   | 48.2       |            |              |       |         |
|                                     | Summit Meghn. 335 MW        | 55.0   | 48.1       |            |              |       |         |
|                                     | Tongi (80 MW)               | 26.0   | 0.0        |            |              |       |         |
|                                     | RPCL (210 MW)               | 40.0   | 19.2       |            |              |       |         |
|                                     | Madhabdi (27+10 MW) REB     | 9.0    | 4.6        |            |              |       |         |
|                                     | Ashulia (24+10 MW) REB      | 10.0   | 7.2        |            |              |       |         |
|                                     | Doreen Tangail 22 MW SIPP   | 5.0    | 4.4        |            |              |       |         |
|                                     | Doreen Narsingdi 22 MW SIPP | 5.0    | 3.4        |            |              |       |         |
|                                     | Maona 33 MW SIPP            | 8.0    | 7.2        |            |              |       |         |
|                                     | Rupganj 33 MW SIPP          | 8.0    | 6.1        |            |              |       |         |
| EGCB Siddhirganj 335 MW             | 55.0                        | 48.7   |            |            |              |       |         |
| HPL ( 360 MW )                      | 55.0                        | 39.1   |            |            |              |       |         |
| Regent 108 MW                       | 27.0                        | 0.0    |            |            |              |       |         |
| Sub-Total                           |                             | 750.0  | 341.3      |            | 104.0        | 40.5  | 1197.1  |
| BGDCL                               | Ashuganj 648 MW*            |        |            | AFCL       | 52.0         | 0.0   | 93.2    |
|                                     | Ashuganj 55 MW rental       | 192.0  | 21.8       |            |              |       | 13.2    |
|                                     | Ashuganj 53 MW rental       |        |            |            |              |       |         |
|                                     | Ashuganj -80 MW Rent        | 20.0   | 0.0        |            |              |       |         |
|                                     | Ashuganj 225MW              | 40.0   | 32.1       |            |              |       |         |
|                                     | Ashuganj 200 MW Modular     | 40.0   | 1.9        |            |              |       |         |
|                                     | APS 450 MW CCPP S           | 62.0   | 44.2       |            |              |       |         |
|                                     | APS 450 MW CCPP N           | 62.0   | 43.5       |            |              |       |         |
|                                     | B-baria 70 MW rental        | 24.0   | 0.0        |            |              |       |         |
|                                     | Feni-22 MW SIPP             | 5.0    | 4.7        |            |              |       |         |
|                                     | Mohipal-11 MW SIPP          | 3.0    | 2.1        |            |              |       |         |
|                                     | Jangalia-33 MW SIPP         | 8.0    | 6.1        |            |              |       |         |
| Chandpur 150 MW CCPP                | 27.0                        | 5.5    |            |            |              |       |         |
| Comilla REB 24 MW                   | 6.0                         | 4.7    |            |            |              |       |         |
| Midland Power 51 MW                 | 12.0                        | 6.8    |            |            |              |       |         |
| Sub-Total                           |                             | 501.0  | 173.3      |            | 52.0         | 0.0   | 106.4   |
| KGDCL                               | Raozan (2x210) MW           | 95.0   | 29.5       | CUFL       | 52.0         | 39.8  | 178.0   |
|                                     | Sikalbaha (40 MW)           | 12.0   | 0.0        | KAFCCO     | 63.0         | 43.9  | 0.6     |
|                                     | Sikalbaha (225+150+65) MW   | 73.0   | 0.0        |            |              |       |         |
|                                     | Barabkunda 22 MW SIPP       | 5.0    | 4.6        |            |              |       |         |
| Sub-Total                           |                             | 185.0  | 34.1       |            | 115.0        | 83.7  | 178.7   |
| JGTDSL                              | Shahjibazar 2x30 MW         | 18.0   | 0.0        | SFCL       | 45.0         | 40.1  | 98.1    |
|                                     | S.Bazar 3 yrs rental 50 MW  | 12.0   | 0.0        |            |              |       |         |
|                                     | S.Bazar 15 yrs rent 86 MW   | 20.0   | 17.9       |            |              |       |         |
|                                     | S.Bazar 330 MW              | 47.0   | 52.5       |            |              |       |         |
|                                     | S.Bazar 100 MW              | 18.0   | 0.0        |            |              |       |         |
|                                     | Fenchuganj CC1 90 MW        | 17.0   | 9.7        |            |              |       |         |
|                                     | Fenchuganj CC2 105 MW       | 18.0   | 9.0        |            |              |       |         |
|                                     | Kumargaon 20 MW             | 2.0    | 6.0        |            |              |       |         |
|                                     | K.gaon 3 yrs rent 50 MW     | 12.0   | 0.0        |            |              |       |         |
|                                     | K.gaon 15 yrs rent 10 MW    | 3.0    | 2.2        |            |              |       |         |
|                                     | K gaon 142 MW CCPP          | 36.0   | 0.0        |            |              |       |         |
|                                     | Habiganj 11 MW SIPP         | 3.0    | 1.6        |            |              |       |         |
|                                     | F.ganj 15 yrs rent 51 MW    | 13.0   | 11.7       |            |              |       |         |
|                                     | F.ganj 3 yrs rent 50 MW     | 10.0   | 0.0        |            |              |       |         |
|                                     | Shahjahanullah pgl Rent     | 5.0    | 4.8        |            |              |       |         |
|                                     | Bibiyana-2 341 MW           | 50     | 49.5       |            |              |       |         |
|                                     | Bibiyana-3 400 MW           | 40     | 59.6       |            |              |       |         |
| Bibiyana-S,400 MW,PDB               | 43                          | 52.8   |            |            |              |       |         |
| Khushiyara 163 MW                   | 28                          | 28.6   |            |            |              |       |         |
| Sub-Total                           |                             | 395.0  | 305.9      |            | 45.0         | 40.1  | 98.1    |
| PGCL                                | Baghabari (100+71 MW)       | 50.0   | 0.0        |            |              |       | 26.8    |
|                                     | Bogra 15 yrs rent (20 MW)   | 5.0    | 4.8        |            |              |       |         |
|                                     | Ullapara 11 MW SIPP         | 3.0    | 1.8        |            |              |       |         |
|                                     | Bogra 3 yrs rent (20 MW)    | 5.0    | 0.0        |            |              |       |         |
|                                     | NWPGCL Unit -1              | 38.0   | 0.0        |            |              |       |         |
|                                     | NWPGCL Unit -2              | 38.0   | 26.8       |            |              |       |         |
|                                     | NWPGCL Unit -3              | 38.0   | 29.4       |            |              |       |         |
| NWPGCL Unit -4                      | 70.0                        | 60.9   |            |            |              |       |         |
| Sub-Total                           |                             | 247.0  | 123.6      |            | 0.0          |       | 26.8    |
| SGCL                                | Bhola 3 yrs rent 34.5 MW    | 10.0   | 8.6        |            |              |       | 1.7     |
|                                     | Bhola 225 MW                | 35.0   | 17.3       |            |              |       |         |
|                                     | Bheramara 360MW             | 65.0   | 42.6       |            |              |       |         |
|                                     | Aggreko 95MW                | 26.0   | 3.1        |            |              |       |         |
|                                     | NBBL 220MW                  | 38.0   | 35.0       |            |              |       |         |
| Sub-Total                           |                             | 174.0  | 106.6      |            | 0.0          |       | 1.7     |
| Total :                             |                             | 2252.0 | 1084.9     |            | 316.0        | 164.4 | 1608.7  |
| (Considering diversity factor 0.85) |                             | 1914   |            |            | 269          |       | 2858.0  |

**Non-grid power**

|                         |               |
|-------------------------|---------------|
| TGTDCL                  | 92.0          |
| KGDCL                   | 8.5           |
| Total Non-Grid Power    | 100.4         |
| <b>Grand Total</b>      | <b>2252.0</b> |
| % of Total Distribution | 40%           |